



OHIO DEPARTMENT OF TRANSPORTATION

DISTRICT 02

317 E. POE RD. • BOWLING GREEN, OH 43402 • 419-353-8131

Environmental Document

for

SAN SR510 4.12 Brdg Repl PID 101328

Environmental Document Level: C2

Approved: 3/6/2019

Prepared By: District 2

Phoenix Neal

Phone: 419-373-4329

E-mail: Phoenix.Neal@dot.ohio.gov

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 11, 2015, and executed by FHWA and ODOT.

Table of Contents

C2.....	3
Environmental Commitments.....	6
Preparers and Approvals.....	7
Appendix.....	8



C2

PID: 101328
Project Sponsor: DISTRICT 2 PRODUCTION
ODOT District: 2
Funding Source: Non-Federal
Does this project require a Federal permit or approval? Yes
Private Funding: No

Project Description:

The Ohio Department of Transportation proposes to replace a deficient culvert on State Route 510 in Sandusky County. No new right of way will be required for this project. Utility relocations are expected. Due to the work within Little Raccoon Creek, a waterway permit from the US Army Corps of Engineers is required and will be obtained prior to construction. The culvert is not located within a floodplain. . All general conditions of ODOTs Ecological MOA will be followed (project file). All impacts are considered to have minimal potential to cause affects to any historic resources. Construction is expected to begin in the spring of 2020 and last approximately 60 days. During construction, the culvert locations will be closed at the same time. The affected property owners, local public safety agencies, and schools have been notified of this closure.

This document was written and approved based on Stage 2 plans.

STIP Reference # SLI 32

Select the appropriate project type:

(28) Bridge rehabilitation, reconstruction, or replacement or the construction of grade separation to replace existing at-grade railroad crossings, if the actions meet the constraints in 23 CFR 771.117(e). **Examples include: Railroad projects that close or relocate at-grade crossings**

In accordance with 23 CFR 771.117(e), the proposed project cannot be processed as a C2 CE, if it involves -
a. Acquisition of more than a minor amount of right-of-way b. Residential or non-residential displacements c. A Coast Guard, Individual Section 404 and/or a Section 10 permit d. A Section 106 finding of Adverse Effect e. A Section 4(f) Programmatic or Individual Evaluation f. A finding of May Affect, Likely to Adversely Affect to Threatened and Endangered Species g. Construction of temporary access, or the closure of existing road, bridge, or ramps, that would result in major traffic disruptions h. Changes in access control i. Floodplain encroachment other than functionally dependent uses (e.g., bridges, wetlands) or actions that facilitate open space use (e.g., recreational trails, bicycle and pedestrian paths) j. Construction activities in, across or adjacent to a river component designated or proposed for inclusion in the National System of Wild and Scenic Rivers k. No minor public or agency controversy on environmental grounds (no opposition from any organized groups or agencies and no unresolved environmental coordination) l. If an EJ Analysis Report is required, the project must be processed as a D-level CE or higher level document For certification purposes, documentation is required to illustrate no significant impacts will occur to the following environmental resources and that no unusual circumstances exist that would warrant a higher level of NEPA document. Upload all supporting documentation to the project file.



Environmental Document Level: C2
PID 101328 SAN SR510 4.12 Brdg Repl

Approved: 3/6/2019

Waterways:	Present; No Coast Guard, Individual 404, and/or Section 10 Permit required
Waterways Permit Type:	Permit Determination and/or Permit Application Approval Pending
Isolated Wetland Permit	No
Endangered Species:	No Impacts to Protected Species and Critical Habitat
100-Year Floodplain:	No Encroachment Within a Special Flood Hazard Area (SFHA)
Section 4(f):	Not present
Section 6(f):	Not present
Cultural Resources:	Present; No Finding of Adverse Effect
Cultural Resources Coordination:	ORC 149.53 Appendix A
Cultural Resources Coordination - ODOT Approval/SHPO Concurrence Date	02/14/2019
Since no Tribe was interested in this project based on their customized preferences, no further Tribal consultation was conducted.	
Projects that meet C2 criteria are not anticipated to have impacts to the following environmental resources. If resources are present, documentation is only required if there is a potential for impacts.	
Air Quality:	Studies Not Required
Air Quality - Coordination with OES:	No
Noise:	Studies Not Required
Noise Coordination - OES Approval Date:	02/14/2019
Hazardous Materials - ESA Screening Conducted	Studies Not Required
Farmland:	Non-Urbanized Area; No Impacts in Accordance With the Farmland MOU, 7 CFR 658, and ORC 929.05
Scenic Rivers	No National Wild and Scenic River Within 1000 Feet of the Proposed Project Area
Projects that meet C2 criteria must be in accordance with ODOT's UP Guidance and activities conducted for Public Involvement are commensurate to the project's type and scope of work.	
Underserved Populations	Does Not Exceed UP Guidance Criteria; No UP Analysis Report Required and No UP Issues Raised During Public Involvement



Environmental Document Level: C2
PID 101328 SAN SR510 4.12 Brdg Repl
Approved: 3/6/2019

Public Involvement:

Minimum PI Requirements Met; No
Minor Public or Agency Controversy
on Environmental Grounds

Environmental Commitments

Yes



Environmental Commitments

C2

- 1) The project requires a waterway permit for work within Little Raccoon Creek (STA 217+46.10) which is attached to the plans as Special Provisions that shall be followed throughout construction by the contractor.



Environmental Document Level: C2
PID 101328 SAN SR510 4.12 Brdg Repl
Approved: 3/6/2019

Preparers and Approvals

Form Preparer

District 2
Contact: Phoenix Neal
419-373-4329
Phoenix.Neal@dot.ohio.gov

Approvals & Electronic Signatures

Approved & Electronically Signed By:	Approval Date:
Phoenix Neal (ENV SPEC 2)	3/6/2019



Appendix

General

Aerial Map.pdf

Correspondence with Emergency and Public Services.pdf

County Map.pdf

Ecological

ODOT Disposition of Agency Comments.pdf

OES Approval - No ODNR and USFWS Notification.pdf

ESA

Regulated Materials Map.pdf

Regulated Materials Review Form.pdf

General

USGS Quadrangle Topographical Map.pdf

Underserved Populations

Census Mapping.pdf

Permits

FEMA FIRM.pdf

Public Involvement

Property Owner Notification Letter.pdf

Public Notification Mailing List.pdf

Underserved Populations

Underserved Populations Documentation Form.pdf