



OHIO DEPARTMENT OF TRANSPORTATION

DISTRICT 02

317 E. POE RD. • BOWLING GREEN, OH 43402 • 419-353-8131

Environmental Document

for

WOO SR199 17.68 Brdg Repl. PID 107613

Environmental Document Level: C2

Approved: 2/14/2020

Prepared By: District 2

Phoenix Neal

Phone: 419-373-4329

E-mail: Phoenix.Neal@dot.ohio.gov

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated June 6, 2018, and executed by FHWA and ODOT.

Table of Contents

C2.....	3
Environmental Commitments.....	6
Preparers and Approvals.....	7
Appendix.....	8



C2

PID: 107613
Project Sponsor: DISTRICT 2 ENGINEERING
ODOT District: 2
Funding Source: Federal
Private Funding: No

Project Description:

The Ohio Department of Transportation is proposing to replace the bridge that carries State Route 199 over Yankey Creek in Wood County. New right of way will be acquired from 4 agricultural parcels and no utilities will be impacted. A waterway permit from the USACE has been obtained for the impacts to Yankey Creek. This work is within a floodplain and all state and federal regulations have been followed. All potential impacts to federally and state listed species have been coordinated with the ODNR and USFWS. Measures will be taken to prevent these species from being impacted as much as possible. All other general conditions agreed to with these agencies will be followed as well (documentation in project file). There is minimal potential to have any effects on historic properties in the area. Construction is expected to begin in the summer of 2021 and last approximately 90 days. During construction, a detour will be posted. All impacted residents, public agencies, and schools have been notified of the project and closure.

This document was written and approved based on stage 2 plans.

STIP Reference # SLI 32

Select the appropriate project type:

(28) Bridge rehabilitation, reconstruction, or replacement or the construction of grade separation to replace existing at-grade railroad crossings, if the actions meet the constraints in 23 CFR 771.117(e). **Examples include: Railroad projects that close or relocate at-grade crossings**

In accordance with 23 CFR 771.117(e), the proposed project cannot be processed as a C2 CE, if it involves -
a. Acquisition of more than a minor amount of right-of-way b. Residential or non-residential displacements c. A Coast Guard, Individual Section 404 and/or a Section 10 permit d. A Section 106 finding of Adverse Effect e. A Section 4(f) Programmatic or Individual Evaluation f. A finding of May Affect, Likely to Adversely Affect to Threatened and Endangered Species g. Construction of temporary access, or the closure of existing road, bridge, or ramps, that would result in major traffic disruptions h. Changes in access control i. Floodplain encroachment other than functionally dependent uses (e.g., bridges, wetlands) or actions that facilitate open space use (e.g., recreational trails, bicycle and pedestrian paths) j. Construction activities in, across or adjacent to a river component designated or proposed for inclusion in the National System of Wild and Scenic Rivers k. No minor public or agency controversy on environmental grounds (no opposition from any organized groups or agencies and no unresolved environmental coordination) l. If an EJ Analysis Report is required, the project must be processed as a D-level CE or higher level document For certification purposes, documentation is required to illustrate no significant impacts will occur to the following environmental resources and that no unusual circumstances exist that would warrant a higher level of NEPA document.



Environmental Document Level: C2
PID 107613 WOO SR199 17.68 Brdg Repl.

Approved: 2/14/2020

Upload all supporting documentation to the project file.

Waterways:	Present; No Coast Guard, Individual 404, and/or Section 10 Permit required
Waterways Permit Type:	Regional General Permit
Waterways Permit Approval Date	01/14/2020
Isolated Wetland Permit	No
Endangered Species:	No Impacts to Protected Species and Critical Habitat
100-Year Floodplain:	Encroachment Within the SFHA is a Functionally Dependent Use
EO 11988/NFIP Coordination and Documentation Completed:	Yes
NFIP Local Floodplain Coordinator Notification Date:	12/30/2019
Section 4(f):	Not present
Section 6(f):	Not present
Cultural Resources:	Present; No Finding of Adverse Effect
Cultural Resources Coordination:	Minimum Potential to Cause Effect Appendix B
Cultural Resources Coordination - ODOT Approval/SHPO Concurrence Date	12/27/2019
Tribal Consultation Summary/Remarks:	No comments or objections received within 30 days
Projects that meet C2 criteria are not anticipated to have impacts to the following environmental resources. If resources are present, documentation is only required if there is a potential for impacts.	
Air Quality:	Studies Not Required
Air Quality - Coordination with OES:	No
Noise:	Studies Not Required
Noise Coordination - OES Approval Date:	02/14/2020
Hazardous Materials - ESA Screening Conducted	Yes
Hazardous Materials - OES Approval Date:	02/14/2020
Phase I ESA Warranted Based on Coordination with OES:	No Further Studies Warranted
Farmland:	Non-Urbanized Area; No Impacts in Accordance With the Farmland MOU, 7 CFR 658, and ORC 929.05



Environmental Document Level: C2
PID 107613 WOO SR199 17.68 Brdg Repl.

Approved: 2/14/2020

Scenic Rivers

No National Wild and Scenic River
Within 1000 Feet of the Proposed
Project Area

Projects that meet C2 criteria must be in accordance with ODOT's UP Guidance and activities conducted for Public Involvement are commensurate to the project's type and scope of work.

Underserved Populations

Does Not Exceed UP Guidance
Criteria; No UP Analysis Report
Required and No UP Issues Raised
During Public Involvement

Public Involvement:

Minimum PI Requirements Met; No
Minor Public or Agency Controversy
on Environmental Grounds

Environmental Commitments

Yes



Environmental Commitments

C2

- 1) ODOT and the contractor will adhere to all appropriate waterway permits and all Special Provisions for waterway permits throughout construction.



Environmental Document Level: C2
PID 107613 WOO SR199 17.68 Brdg Repl.
Approved: 2/14/2020

Preparers and Approvals

Form Preparer

District 2
Contact: Phoenix Neal
419-373-4329
Phoenix.Neal@dot.ohio.gov

Supporting Form Preparer(s):

Catherine James
Phoenix Neal

Approvals & Electronic Signatures

Approved & Electronically Signed By:	Approval Date:
Phoenix Neal (ENV SPEC 2)	2/14/2020



Appendix

General

Aerial Map.pdf

Correspondence with Emergency and Public Services.pdf

County Map.pdf

ESA

Environmental Database Search Results.pdf

Cultural Resources

Minimal Potential to Cause Effect - Appendix B

Ecological

ODOT Disposition of Agency Comments.pdf

OES Approval - No ODNR and USFWS Notification.pdf

General

USGS Quadrangle Topographical Map.pdf

Underserved Populations

Census Mapping.pdf

Permits

FEMA FIRM.pdf

Floodplain Impacts.pdf

Public Involvement

Property Owner Notification Letter.pdf

Public Notification Mailing List.pdf

Underserved Populations

Underserved Populations Documentation Form.pdf