



OHIO DEPARTMENT OF TRANSPORTATION

DISTRICT 02

317 E. POE RD. • BOWLING GREEN, OH 43402 • 419-353-8131

Environmental Document

for

LUC CR 2232 0.00 Wenz Rd FDR PID 104417

Environmental Document Level: C2

Approved: 5/7/2020

Prepared By: District 2

Phoenix Neal

Phone: 419-373-4329

E-mail: Phoenix.Neal@dot.ohio.gov

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated June 6, 2018, and executed by FHWA and ODOT.

Table of Contents

C2.....3

Environmental Commitments.....6

Preparers and Approvals.....7

Appendix.....8



C2

PID: 104417
Project Sponsor: Toledo, City of
ODOT District: 2
Funding Source: Federal
Private Funding: No

Project Description:

The City of Toledo is proposing to resurface Wenz Road from Angola to Hill as well as install sidewalks where pieces are missing and repair drainage. A small portion of permanent R/W is required from an industrial property to connect the new sidewalk to the existing sidewalk. No impacts to utilities are anticipated. There are no jurisdictional water resources in the project area so no USACE permits are required. This project is located within a special flood hazard area and a local floodplain permit has been obtained. There is no suitable habitat for any state or federally listed species within the project area so there will be no impacts to any ecological resources. The work included in this project has minimal potential to cause effects to historical resources. Construction is expected to begin summer of 2021 and last approximately 60 days. During construction, a minimum of one traffic lane will be maintained at all times. This document was written and approved based on Stage 1 plans

STIP Reference # 2018stipID0064FDCO

Select the appropriate project type:

(26) Modernization of a highway by resurfacing, restoration, rehabilitation, reconstruction, adding shoulders, or adding auxiliary lanes (including parking, weaving, turning, and climbing lanes), if the action meets the constraints in paragraph (e) of this section. ***Examples include: Joint or limited use of right-of-way where the proposed use would have minimal or no adverse social (including highway safety), economic or environmental impacts; Installation of new noise walls and other new noise mitigation projects; Construction of highway safety and truck escape ramps; Construction of bicycle lanes and pedestrian walkways, sidewalks, shared-use paths, or facilities and trailhead parking that do not otherwise qualify for a C1 designation; Beautification or facility improvement projects (i.e. landscaping, curb and gutter installation and replacement, ADA ramps/curb ramps, installation of park benches, decorative lighting, etc.); Construction of alternative energy facilities (fuel tank farms, wind turbines, etc.)***

In accordance with 23 CFR 771.117(e), the proposed project cannot be processed as a C2 CE, if it involves -
a. Acquisition of more than a minor amount of right-of-way
b. Residential or non-residential displacements
c. A Coast Guard, Individual Section 404 and/or a Section 10 permit
d. A Section 106 finding of Adverse Effect
e. A Section 4(f) Programmatic or Individual Evaluation
f. A finding of May Affect, Likely to Adversely Affect to Threatened and Endangered Species
g. Construction of temporary access, or the closure of existing road, bridge, or ramps, that would result in major traffic disruptions
h. Changes in access control
i. Floodplain encroachment other than functionally dependent uses (e.g., bridges, wetlands) or actions that facilitate open space use (e.g., recreational trails, bicycle and pedestrian paths)
j. Construction activities in, across or



Environmental Document Level: C2
PID 104417 LUC CR 2232 0.00 Wenz Rd FDR

Approved: 5/7/2020

adjacent to a river component designated or proposed for inclusion in the National System of Wild and Scenic Rivers k. No minor public or agency controversy on environmental grounds (no opposition from any organized groups or agencies and no unresolved environmental coordination) l. If an EJ Analysis Report is required, the project must be processed as a D-level CE or higher level document For certification purposes, documentation is required to illustrate no significant impacts will occur to the following environmental resources and that no unusual circumstances exist that would warrant a higher level of NEPA document. Upload all supporting documentation to the project file.

Waterways:	Not Present
Endangered Species:	No Impacts to Protected Species and Critical Habitat
100-Year Floodplain:	Encroachment Within the SFHA is a Functionally Dependent Use
EO 11988/NFIP Coordination and Documentation Completed:	Yes
NFIP Local Floodplain Coordinator Notification Date:	04/27/2020
Section 4(f):	Not present
Section 6(f):	Not present
Cultural Resources:	Present; No Finding of Adverse Effect
Cultural Resources Coordination:	Minimum Potential to Cause Effect Appendix B
Cultural Resources Coordination - ODOT Approval/SHPO Concurrence Date	04/01/2020
Tribal Consultation Summary/Remarks:	No concerns or objections were received.
Projects that meet C2 criteria are not anticipated to have impacts to the following environmental resources. If resources are present, documentation is only required if there is a potential for impacts.	
Air Quality:	Studies Not Required
Air Quality - Coordination with OES:	No
Noise:	Studies Not Required
Noise Coordination - OES Approval Date:	04/13/2020
Hazardous Materials - ESA Screening Conducted	Yes
Hazardous Materials - OES Approval Date:	03/04/2020
Phase I ESA Warranted Based on Coordination with OES:	No Further Studies Warranted
Farmland:	Urbanized Area; No Impacts in Accordance With the Farmland MOU and 7 CFR 658
Scenic Rivers	No National Wild and Scenic River Within 1000 Feet of the Proposed Project Area



Environmental Document Level: C2
PID 104417 LUC CR 2232 0.00 Wenz Rd FDR
Approved: 5/7/2020

Projects that meet C2 criteria must be in accordance with ODOT's UP Guidance and activities conducted for Public Involvement are commensurate to the project's type and scope of work.

Underserved Populations

Does Not Exceed UP Guidance
Criteria; No UP Analysis Report
Required and No UP Issues Raised
During Public Involvement

Public Involvement:

Minimum PI Requirements Met; No
Minor Public or Agency Controversy
on Environmental Grounds

Environmental Commitments

No



Environmental Document Level: C2
PID 104417 LUC CR 2232 0.00 Wenz Rd FDR
Approved: 5/7/2020

Environmental Commitments



Environmental Document Level: C2
PID 104417 LUC CR 2232 0.00 Wenz Rd FDR
Approved: 5/7/2020

Preparers and Approvals

Form Preparer

District 2
Contact: Phoenix Neal
419-373-4329
Phoenix.Neal@dot.ohio.gov

Approvals & Electronic Signatures

Approved & Electronically Signed By:	Approval Date:
Phoenix Neal (ENV SPEC 2)	5/7/2020



Appendix

General

Aerial Map.pdf

County Map.pdf

Ecological

Ecological Review Form - Ecologically Exempt Project.pdf

Cultural Resources

Minimal Potential to Cause Effect - Appendix B

General

USGS Quadrangle Topographical Map.pdf

Underserved Populations

Census Mapping.pdf

Permits

FEMA FIRM.pdf

Floodplain Permit.pdf

Statement of Findings.pdf

Underserved Populations

Underserved Populations Documentation Form.pdf