



OHIO DEPARTMENT OF TRANSPORTATION

DISTRICT 02
317 E. POE RD. • BOWLING GREEN, OH 43402 • 419-353-8131

Environmental Document

for

HEN SR 110 6.72 Resurfacing PID 114846

Environmental Document Level: C1

Approved: 11/1/2022

Prepared By: District 2

Phoenix Golnick
Phone: 419-373-4329
E-mail: Phoenix.Golnick@dot.ohio.gov

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 14, 2020, and executed by FHWA and ODOT.

Table of Contents

C1.....	3
Environmental Commitments.....	5
Preparers and Approvals.....	6
Appendix.....	7



Environmental Document Level: C1
PID 114846 HEN SR 110 6.72 Resurfacing
Approved: 11/1/2022

C1

PID: 114846
Project Sponsor: DISTRICT 2 ENGINEERING
ODOT District: 2
Funding Source: Federal
Private Funding: No

Project Description:

The Ohio Department of Transportation is currently proposing to resurface SR 110 between SR 109 River bridge to SR 65 in Henry County due to poor pavement conditions. All work is within the existing right of way and there will be no impacts to utilities. This project is located within a special flood hazard area. It was determined by the district 2 hydraulic engineer that there would be no impacts to the floodplain. There will be no impacts to any ecological or historically significant resources. All ecological impacts have been coordinated with the appropriate agencies. All general and project specific conditions of the Ecological MOA between ODOT, ODNR, and USFWS have been met (documented in project file)' Construction is expected to begin in the summer of 2023 and last approximately 120 days. During construction, one lane of traffic will be maintained at all times.

This document was based and approved based off of Stage 2 Plans.

STIP Reference #: 21-24 STIP
Cultural Resources Coordination: Minimal Potential to Cause Effect
Appendix A
Cultural Resources Coordination Date: 08/05/2022

Since no Tribe was interested in this project based on their customized preferences, no further Tribal consultation was conducted.

Supporting documentation has been uploaded to Project File: Yes

Select the appropriate project type (more than one can be selected):

(22) Projects, as defined in 23 U.S.C. 101 that would take place entirely within the existing operational right-of-way. Existing operational right-of-way refers to right-of-way that has been disturbed for an existing transportation facility or is maintained for a transportation purpose. This area includes the features associated with the physical footprint of the transportation facility (including the roadway, bridges, interchanges, culverts, drainage, fixed guideways, mitigation areas, etc.) and other areas maintained for transportation purposes such as clear zone, traffic control signage, landscaping, any rest areas with direct access to a controlled access highway, areas maintained for safety and security of a transportation facility, parking facilities with direct access to an existing transportation facility, transit power substations, transit venting structures, and transit maintenance facilities. Portions of the right-of-way that have not been disturbed or that are not maintained for transportation purposes are not in the existing operational right-of-way. **Examples include: Tower lighting within the existing operational right-of-way; Guardrail installation and replacement (including median cable barriers) where roadway ditches and backslopes will not be relocated; Improvements to existing ODOT/County maintenance facilities; Construction of new ODOT/County**



Environmental Document Level: C1
PID 114846 HEN SR 110 6.72 Resurfacing

Approved: 11/1/2022

maintenance facilities within existing operational right-of-way; Environmental mitigation activities within existing operational right-of-way; Work on pedestrian and vehicle transfer structures and associated utilities, buildings, and terminals within existing operational right-of-way; Construction of alternative energy facilities (fuel tank farms, wind turbines, etc.)

(23) Projects that receive federal funds that are less than the monetary values indicated by FHWA. These monetary values are adjusted annually by the Secretary to reflect any increases in the Consumer Price Index prepared by the Department of Labor (see www.fhwa.dot.gov or www.fta.dot.gov). See the Help Tip Box for current monetary limits.

Environmental Commitments:

Yes



Environmental Commitments

C1

- 1) The Project Designer shall incorporate the following note in the plans: The Contractor shall keep all idle equipment, fuels, lubricants, and any storage for/of potentially toxic or hazardous materials out of the FEMA designated special flood hazard area and not within 1000 feet of the Maumee River.
- 2) The Project Designer shall incorporate the following note to the plans: Any and all construction debris, earthen debris, excess asphalt or concrete, wood debris from clearing, excess fill material, and trash should be disposed of at an approved upland site or land fill above FEMA 100-year flood elevations. Disposal of any such materials within 1000 feet of the Maumee River is prohibited.
- 3) The Project Designer shall incorporate the following note in the plans: The Contractor shall not discharge toxic or hazardous materials such as sealants, paint, solvents, cleaning agents, earthen materials, waste-water, fuels or debris of any kind to a scenic river, its tributaries, or drainage ways. If refueling of immobile equipment is necessary within the floodplain or near any tributary drainage ways, ditches, or stream, the contractor shall provide secondary containment with enough capacity to completely contain and collect all potential liquid wastes in the event of a spill.
- 4) The Project Designer shall incorporate the following note to the plans: In accordance with ORC 3750.06, reportable spills must be reported to the local fire department [Napoleon Fire Department at (419) 592-0441], the local emergency coordinator [Henry County EMA at 419-599-6432], and the Ohio Spill Line (1-800-282-9378).



Environmental Document Level: C1
PID 114846 HEN SR 110 6.72 Resurfacing
Approved: 11/1/2022

Preparers and Approvals

Form Preparer

District 2
Contact: Phoenix Golnick
419-373-4329
Phoenix.Golnick@dot.ohio.gov

Approvals & Electronic Signatures

Approved & Electronically Signed By:	Approval Date:
Allie Beck (ENV SPEC 2)	11/1/2022



Appendix

General

Aerial Map.pdf

County Map.pdf

Stage 2 Design.pdf

USGS Quadrangle Topographical Map.pdf

Ecological

ODNR - Scenic River Field Review Form.pdf

ODNR Scenic River MOA Conditions

Permits

District Determination - No Floodplain Impacts.pdf

FEMA FIRM.pdf