



OHIO DEPARTMENT OF TRANSPORTATION

DISTRICT 02
317 E. POE RD. • BOWLING GREEN, OH 43402 • 419-353-8131

Environmental Document

for

LUC CR 91 2.50 Salsbury & Holowy PID 111530

Environmental Document Level: C2

Approved: 2/22/2023

Prepared By: District 2

Phoenix Golnick
Phone: 419-373-4329
E-mail: Phoenix.Golnick@dot.ohio.gov

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 14, 2020, and executed by FHWA and ODOT.

Table of Contents

C2.....	3
Environmental Commitments.....	6
Preparers and Approvals.....	7
Appendix.....	8



C2

PID: 111530
Project Sponsor: Lucas County Board of Commissioners
ODOT District: 2
Funding Source: Federal
Private Funding: No
Project Description:

The Lucas County Board of Commissioners is currently proposing to construct a roundabout at the intersection of Salisbury Road and Holloway Road. Permanent and temporary right of way will be acquired from 6 residential properties. This project does not include impacts to any waterways or floodplains, therefore no US Army Corps of Engineers or floodplain permits are required. There will be no impacts to any ecological or historically significant resources. Construction is expected to begin in the summer of 2024 and last approximately 60 days. During construction, one lane of traffic will be maintained at all times with the exception of a 45 day detour. All impacted property owners, public safety agencies, and schools have been notified of the closure.

This document was approved based on Stage 2 Plans.

STIP Reference #: 111530: 21-24 STIP

Select the appropriate project type:

(26) Modernization of a highway by resurfacing, restoration, rehabilitation, reconstruction, adding shoulders, or adding auxiliary lanes (including parking, weaving, turning, and climbing lanes), if the action meets the constraints in paragraph (e) of this section. *Examples include: Joint or limited use of right-of-way where the proposed use would have minimal or no adverse social (including highway safety), economic or environmental impacts; Installation of new noise walls and other new noise mitigation projects; Construction of highway safety and truck escape ramps; Construction of bicycle lanes and pedestrian walkways, sidewalks, shared-use paths, or facilities and trailhead parking that do not otherwise qualify for a C1 designation; Beautification or facility improvement projects (i.e. landscaping, curb and gutter installation and replacement, ADA ramps/curb ramps, installation of park benches, decorative lighting, etc.); Construction of alternative energy facilities (fuel tank farms, wind turbines, etc.)*

In accordance with 23 CFR 771.117(e), the proposed project cannot be processed as a C2 CE, if it involves -

1. a. Acquisition of more than a minor amount of right-of-way
2. b. Residential or non-residential displacements
3. c. A Coast Guard, Individual Section 404 and/or a Section 10 permit
4. d. A Section 106 finding of *Adverse Effect*
5. e. A Section 4(f) Programmatic or Individual Evaluation
6. f. A finding of *May Affect, Likely to Adversely Affect* to Threatened and Endangered Species



Environmental Document Level: C2
PID 111530 LUC CR 91 2.50 Salisbury & Holowy

Approved: 2/22/2023

7. g. Construction of temporary access, or the closure of existing road, bridge, or ramps, that would result in major traffic disruptions
8. h. Changes in access control
9. i. Floodplain encroachment other than functionally dependent uses (e.g., bridges, wetlands) or actions that facilitate open space use (e.g., recreational trails, bicycle and pedestrian paths)
10. j. Construction activities in, across or adjacent to a river component designated or proposed for inclusion in the National System of Wild and Scenic Rivers
11. k. No minor public or agency controversy on environmental grounds (no opposition from any organized groups or agencies and no unresolved environmental coordination)
12. l. If an EJ Analysis Report is required, the project must be processed as a D-level CE or higher level document

For certification purposes, documentation is required to illustrate no significant impacts will occur to the following environmental resources and that no unusual circumstances exist that would warrant a higher level of NEPA document. Upload all supporting documentation to the project file.

Waterways:	Not Present
Will any wetlands be impacted?	No
Endangered Species:	No Impacts to Protected Species and Critical Habitat
100-Year Floodplain:	No Encroachment Within a Special Flood Hazard Area (SFHA)
Section 4(f):	Not present
Section 6(f):	Not present
Cultural Resources:	Not Present
Cultural Resources Coordination - ODOT Approval/SHPO Concurrence Date	01/03/2023
Tribal Consultation Summary/Remarks:	No objection to the project.
Projects that meet C2 criteria are not anticipated to have impacts to the following environmental resources. If resources are present, documentation is only required if there is a potential for impacts.	
Air Quality:	Studies Not Required
Air Quality - Coordination with OES:	No
Noise:	Studies Not Required
Noise Coordination - OES Approval Date:	12/30/2022
Hazardous Materials - ESA Screening Conducted	Yes
Hazardous Materials - OES Approval Date:	01/13/2023
Phase I ESA Warranted Based on Coordination with OES:	No Further Studies Warranted



Environmental Document Level: C2
PID 111530 LUC CR 91 2.50 Salisbury & Holoway
Approved: 2/22/2023

Farmland:

Urbanized Area; No Impacts in
Accordance With the Farmland MOU
and 7 CFR 658

Scenic Rivers

No National Wild and Scenic River
Within 1000 Feet of the Proposed
Project Area

Projects that meet C2 criteria must be in accordance with ODOT's UP Guidance and activities conducted for Public Involvement are commensurate to the project's type and scope of work.

Underserved Populations

Present; No UPIAR Required, Does
Not Exceed UP Guidance Criteria,
and No Issues Raised During Public
Involvement

Identified Underserved Populations

Census Block Group #	% Minority	% Low Income	% Older Adults	% Limited English Proficiency (LEP)
390950090001	11	11	28	0
390950090004	6	3	9	0

Underserved Populations Remarks

The proposed project will have no disproportionately high and adverse effects to minority or low-income populations based upon the table above, the attached mapping, and the answers to the questions above. No concerns related to impacts on Environmental Justice populations were raised as a result of public involvement activities conducted as part of the proposed project. Therefore, in accordance with the protections of Executive Order 12898, FHWA Order 6640.23A, no further analysis is required.

Public Involvement:

Minimum PI Requirements Met; No
Minor Public or Agency Controversy
on Environmental Grounds

Environmental Commitments

No



Environmental Document Level: C2
PID 111530 LUC CR 91 2.50 Salisbury & Holoway
Approved: 2/22/2023

Environmental Commitments



Environmental Document Level: C2
PID 111530 LUC CR 91 2.50 Salisbury & Holoway
Approved: 2/22/2023

Preparers and Approvals

Form Preparer

District 2
Contact: Phoenix Golnick
419-373-4329
Phoenix.Golnick@dot.ohio.gov

Approvals & Electronic Signatures

Approved & Electronically Signed By:	Approval Date:
Allie Beck (ENV SPEC 2)	2/22/2023



Appendix

General

Aerial Map.pdf

Correspondence with Emergency and Public Services.pdf

County Map.pdf

USGS Quadrangle Topographical Map.pdf

Cultural Resources

Minimal Potential to Cause Effect - Appendix B

Tribal Comments - Miami Tribe.pdf

Ecological

ODNR Scenic River MOA Conditions

Underserved Populations

Census Mapping.pdf

Public Involvement

Property Owner Notification Letter.pdf

Permits

FEMA FIRM.pdf