



OHIO DEPARTMENT OF TRANSPORTATION

DISTRICT 12
5500 TRANSPORTATION BLVD. • GARFIELD HGTS., OH 44125 • 614-995-7912

Environmental Document for **GCRTA CITME System Replacement PID 103905**

Environmental Document Level: C1

Approved: 4/23/2018

Prepared By: District 12

Mark Carpenter
Phone: 216-584-2089
E-mail: Mark.Carpenter@dot.ohio.gov

The environmental review, consultation, and other actions required by applicable Federal environmental laws for this project are being, or have been, carried out by ODOT pursuant to 23 U.S.C. 327 and a Memorandum of Understanding dated December 11, 2015, and executed by FHWA and ODOT.

Table of Contents

C1.....	3
Environmental Commitments.....	4
Preparers and Approvals.....	5
Appendix.....	6



Environmental Document Level: C1
PID 103905 GCRTA CITME System Replacement
Approved: 4/23/2018

C1

PID: 103905

Project Sponsor: Greater Cleveland Regional Transit Authority

ODOT District: 12

Funding Source: Federal

Private Funding: No

Project Description:
CITME System Replacement
Funding: \$1,165,951 - 80% federal, 20% local

STIP Reference # 2016AM06ID0129FDCAPT

Cultural Resources Coordination: No Historic Properties Affected

Cultural Resources Coordination Date: 11/03/2017

Supporting documentation has been uploaded to Project File: No

Select the appropriate project type (more than one can be selected):
(19) Purchase and installation of operating or maintenance equipment to be located within the transit facility and with no significant impacts off the site.

Environmental Commitments: No



Environmental Document Level: C1
PID 103905 GCRTA CITME System Replacement
Approved: 4/23/2018

Environmental Commitments



Environmental Document Level: C1
PID 103905 GCRTA CITME System Replacement
Approved: 4/23/2018

Preparers and Approvals

Form Preparer

District 12
Contact: Mark Carpenter
216-584-2089
Mark.Carpenter@dot.ohio.gov

Approvals & Electronic Signatures

Approved & Electronically Signed By:	Approval Date:
Mark Carpenter (TRANS ENGR 3)	4/23/2018



Environmental Document Level: C1
PID 103905 GCRTA CITME System Replacement
Approved: 4/23/2018

Appendix